

	Bait Al Batterjee Medical Trading Co.
	Saudi German Hospital Group
	Al Zahra Dist. Jeddah
	Tel. No. 02 – 6620 296 / 6620 396 / 6620 279 Ext: 5029
	Fax No. 02 – 256 2973
	Direct Line 02 - 6905129

Date : 15 / 09 / 2008	Contact Person : Dr. Alaa El Shreef - Dr. Mohy khalil
Pages : 1 : 5	E mail Address : xrav1.jed@sghgroup.net - bab@sghgroup.net
Vender :	Mobile : 00966 505 640 079 - 00966 561 052 512
Attention : Sales Manager	
Enclosed please find our Tender Document for INTERNAL MEDICINE DEPARTMENT	
Please submit your best prices for the following items complete specification, Catalogue copy & C.V for units	
Your offer in witting should reach to the undersign before 15 / Dec / 2008	
You may quote your equivalent product if you are unable to offer the specification item	

General Requirements for the Negotiable Tender

- 1- The Manufacture has to offer the Highest & Latest model in the required Item with all the Encouraging specification which let the dean of the tender to choose the Product.
- 2- The offer must contain all Hardware & Software available At time of tender.
- 3- The Manufacture will apply all the Upgrade will be added to the unit Free of Charge.
- 4- The Manufacture will offer clear C.V of the Same Model in his quotation with year of production.
- 5- Warrantee is (5) years including labor & Spare parts & Accessories needed for the perfect work of the unit.
- 6- The Manufacture will assure the wok of the unit during the Warrantee with Minimum of 320 days / Year.
- 7- It will be Service Contract for (5) years after the warrantee period in the offer of the manufacturer.
- 8- It's better for the Manufacturer to offer Basic Unit & alternative for each item.
- 9- It's well known that The Company which will win the Tender is going to Sign the Contract with SGH Group.
- 10- His Contract Details will be Discusses with the Company after The Evaluation with the whole Higher Management SGH Group.
- 11- The specification in the book is the nearly accepted but not restricted so each Company Can offer the best Models which Help doctors & Staff to Offer the Best Benefits for the Patient.

Dr. MOHY KHALIL
bab@sghgroup.net

INDEX

DEPARTMENT: INTERNAL MEDICINE

S.No	Items Descriptions	Qty	No. of pages	Manufacture	Origin	Model	Unit Price	Total Price
1	BRONCHOFIBERSCOPE OES #BF-IT40	1	1					
2	PORTABLE INTUBATION FIBERSCOPE #LC-GP WITH STANDARD ACCESS	1	1					
3	PULMONARY FUNCTION ANALYZER WITH ACCESS	1	1					

BRONCHOFIBERSCOPE OES #BF-IT40

ITEM NO: 1

Specification For: BRONCHOFIBERSCOPE OES #BF-IT40	QTY
<p style="text-align: center;"><u>BRONCHOFIBERSCOPE OES #BF-IT40</u></p> <ul style="list-style-type: none"> - Optical system: - Field of view: 120° - Depth of view: 3 to 50 mm - Distal End: - Outer diameter: 5.9 mm - Insertion tube: - Outer diameter: 6.0 mm - Bending section: - Angulation Range: Up 180°, Down 130° - Working Length: 550 mm - Total Length: 840 mm - Inter diameter: 2.8 mm - Minimum visible distance: 5 mm - Voltage: 110V-220V 60 Hz 	1

PROTABLE INTUBATION FIBERSCOPE #LC-GP WITH STANDARD ACCESS**ITEM NO: 2**

Specification For: PROTABLE INTUBATION FIBERSCOPE #LC-GP WITH STANDARD ACCESS.	QTY
<p data-bbox="240 573 1235 640" style="text-align: center;">PROTABLE INTUBATION FIBERSCOPE #LC-GP WITH STANDARD ACCESS</p> <ul style="list-style-type: none"> <li data-bbox="201 674 571 703">- With following accessories:- <li data-bbox="201 703 491 732">- Connector Assembly <li data-bbox="201 732 456 761">- Aspiration Needle <li data-bbox="201 761 443 790">- Balloon Catheter <li data-bbox="201 790 507 819">- Coagulation Electrode <li data-bbox="201 819 443 848">- Diathermy Snare <li data-bbox="201 848 475 878">- B/Forceps Serrated <li data-bbox="201 878 427 907">- Biopsy Forceps <li data-bbox="201 907 427 936">- Cytology Brush <li data-bbox="201 936 545 965">- Sheathed Cytology Brush <li data-bbox="201 965 427 994">- Biopsy Forceps <li data-bbox="201 994 395 1023">- Light Source <li data-bbox="201 1023 558 1052">- Voltage: 110V-220V 60 Hz 	1

PULMONARY FUNCTION ANALYZER WITH ACCESS**ITEM NO: 3**

Specification For: PULMONARY FUNCTION ANALYZER WITH ACCESS	QTY
<p style="text-align: center;"><u>PULMONARY FUNCTION ANALYZER WITH ACCESS</u></p> <ul style="list-style-type: none"> - Power consumption: 21 VA - Protective system: II, type B - Internal NC accumulator: 12 Vd.c., 1.2 Ah for ca. 200 tests including prints - Flow meter: Digital two-direction turbine - Flow range: 0.03-20 l/s - Volume: Maximum 10 l - Accuracy: +/-3% or +/- 50 ml - Dynamic resistance: < 0.7 cm H₂O/l/s - Mouth pieces: For children and adults - Display: Background illuminated LCD display, 70x80 mm - Dimension: H x W x D 5 cm x 23 cm x 12 cm - Weight: 1.2 kg - Voltage: 110V-220V 60 Hz 	1